

```
<<
/ASCII85EncodePages false
/AllowTransparency false
/AutoPositionEPSFiles false
/AutoRotatePages /None
/Binding /Left
/CalGrayProfile (Dot Gain 20%)
/CalRGBProfile (sRGB IEC61966-2.1)
/CalCMYKProfile (U.S. Web Coated \050SWOP\051 v2)
/sRGBProfile (sRGB IEC61966-2.1)
/CannotEmbedFontPolicy /Error
/CompatibilityLevel 1.3
/CompressObjects /Tags
/CompressPages true
/ConvertImagesToIndexed true
/PassThroughJPEGImages true
/CreateJobTicket false
/DefaultRenderingIntent /Default
/DetectBlends true
/DetectCurves 0.1000
/ColorConversionStrategy /LeaveColorUnchanged
/DoThumbnails false
/EmbedAllFonts true
/EmbedOpenType false
/ParseICCProfilesInComments true
/EmbedJobOptions true
/DSCReportingLevel 0
/EmitDSCWarnings false
/EndPage -1
/ImageMemory 1048576
/LockDistillerParams true
/MaxSubsetPct 100
/Optimize false
/OPM 1
/ParseDSCComments true
/ParseDSCCommentsForDocInfo true
/PreserveCopyPage false
/PreserveDICMYKValues true
/PreserveEPSInfo false
/PreserveFlatness true
/PreserveHalftoneInfo false
/PreserveOPICComments false
/PreserveOverprintSettings true
/StartPage 1
/SubsetFont true
/TransferFunctionInfo /Remove
/UCRandBGInfo /Remove
/UsePrologue false
/ColorSettingsFile ()
/AlwaysEmbed [ true
]
/NeverEmbed [ true
]
/AntiAliasColorImages false
/CropColorImages true
/ColorImageMinResolution 150
```

```
/ColorImageMinResolutionPolicy /OK
/DownsampleColorImages true
/ColorImageDownsampleType /Bicubic
/ColorImageResolution 200
/ColorImageDepth -1
/ColorImageMinDownsampleDepth 1
/ColorImageDownsampleThreshold 1.32000
/EncodeColorImages true
/ColorImageFilter /DCTEncode
/AutoFilterColorImages true
/ColorImageAutoFilterStrategy /JPEG
/ColorACSImageDict <<
  /QFactor 0.40
  /HSamples [1 1 1 1] /VSamples [1 1 1 1]
>>
/ColorImageDict <<
  /QFactor 0.15
  /HSamples [1 1 1 1] /VSamples [1 1 1 1]
>>
/JPEG2000ColorACSImageDict <<
  /TileWidth 256
  /TileHeight 256
  /Quality 30
>>
/JPEG2000ColorImageDict <<
  /TileWidth 256
  /TileHeight 256
  /Quality 30
>>
/AntiAliasGrayImages false
/CropGrayImages true
/GrayImageMinResolution 150
/GrayImageMinResolutionPolicy /OK
/DownsampleGrayImages true
/GrayImageDownsampleType /Bicubic
/GrayImageResolution 200
/GrayImageDepth -1
/GrayImageMinDownsampleDepth 2
/GrayImageDownsampleThreshold 1.32000
/EncodeGrayImages true
/GrayImageFilter /DCTEncode
/AutoFilterGrayImages true
/GrayImageAutoFilterStrategy /JPEG
/GrayACSImageDict <<
  /QFactor 0.40
  /HSamples [1 1 1 1] /VSamples [1 1 1 1]
>>
/GrayImageDict <<
  /QFactor 0.15
  /HSamples [1 1 1 1] /VSamples [1 1 1 1]
>>
/JPEG2000GrayACSImageDict <<
  /TileWidth 256
  /TileHeight 256
  /Quality 30
>>
```

```
/JPEG2000GrayImageDict <<
  /TileWidth 256
  /TileHeight 256
  /Quality 30
>>
/AntiAliasMonolImages false
/CropMonolImages true
/MonolImageMinResolution 400
/MonolImageMinResolutionPolicy /OK
/DownsampleMonolImages true
/MonolImageDownsampleType /Bicubic
/MonolImageResolution 600
/MonolImageDepth -1
/MonolImageDownsampleThreshold 1.00000
/EncodeMonolImages true
/MonolImageFilter /CCITTFaxEncode
/MonolImageDict <<
  /K -1
>>
/AllowPSXObject false
/CheckCompliance [
  /None
]
/PDFX1aCheck false
/PDFX3Check false
/PDFXCompliantPDFOnly false
/PDFXNoTrimBoxError false
/PDFXTrimBoxToMediaBoxOffset [
  34.69606
  34.27087
  34.69606
  34.27087
]
/PDFXSetBleedBoxToMediaBox false
/PDFXBleedBoxToTrimBoxOffset [
  8.50394
  8.50394
  8.50394
  8.50394
]
/PDFXOutputIntentProfile (None)
/PDFXOutputConditionIdentifier ()
/PDFXOutputCondition ()
/PDFXRegistryName ()
/PDFXTrapped /False

/CreateJDFFile false
/Description <<
  /CHS
<FEFF4f7f75288fd94e9b8bbe5b9a521b5efa7684002000410064006f00620065002000500044004600206
5876863900275284e8e9ad88d2891cf76845370524d53705237300260a853ef4ee54f7f752800200041006
30072006f0062006100740020548c002000410064006f0062006500200052006500610064006500720020
0035002e003000204ee553ca66f49ad87248672c676562535f00521b5efa76840020005000440046002065
8768633002>
  /CHT
<FEFF4f7f752890194e9b8a2d7f6e5efa7acb7684002000410064006f00620065002000500044004600206
```

5874ef69069752865bc9ad854c18cea76845370524d5370523786557406300260a853ef4ee54f7f7528002
0004100630072006f0062006100740020548c002000410064006f00620065002000520065006100640065
007200200035002e003000204ee553ca66f49ad87248672c4f86958b555f5df25efa7acb768400200050004
40046002065874ef63002>

/DAN

<FEFF004200720075006700200069006e0064007300740069006c006c0069006e006700650072006e00
65002000740069006c0020006100740020006f00700720065007400740065002000410064006f0062006
50020005000440046002d0064006f006b0075006d0065006e007400650072002c0020006400650072002
00620065006400730074002000650067006e006500720020007300690067002000740069006c0020007
00072006500700072006500730073002d007500640073006b007200690076006e0069006e00670020006
100660020006800f8006a0020006b00760061006c0069007400650074002e0020004400650020006f0070
00720065007400740065006400650020005000440046002d0064006f006b0075006d0065006e00740065
00720020006b0061006e002000e50062006e00650073002000690020004100630072006f006200610074
00200065006c006c006500720020004100630072006f00620061007400200052006500610064006500720
0200035002e00300020006f00670020006e0079006500720065002e>

/DEU

<FEFF00560065007200770065006e00640065006e002000530069006500200064006900650073006500
2000450069006e007300740065006c006c0075006e00670065006e0020007a0075006d00200045007200
7300740065006c006c0065006e00200076006f006e002000410064006f006200650020005000440046002
d0044006f006b0075006d0065006e00740065006e002c00200076006f006e002000640065006e0065006e
002000530069006500200068006f00630068007700650072007400690067006500200050007200650070
0072006500730073002d0044007200750063006b0065002000650072007a0065007500670065006e0020
006d00f60063006800740065006e002e002000450072007300740065006c006c007400650020005000440
046002d0044006f006b0075006d0065006e007400650020006b00f6006e006e0065006e0020006d006900
740020004100630072006f00620061007400200075006e0064002000410064006f0062006500200052006
5006100640065007200200035002e00300020006f0064006500720020006800f600680065007200200067
006500f600660066006e00650074002000770065007200640065006e002e>

/ESP

<FEFF005500740069006c0069006300650020006500730074006100200063006f006e006600690067007
5007200610063006900f3006e0020007000610072006100200063007200650061007200200064006f0063
0075006d0065006e0074006f00730020005000440046002000640065002000410064006f0062006500200
061006400650063007500610064006f00730020007000610072006100200069006d00700072006500730
06900f3006e0020007000720065002d0065006400690074006f007200690061006c002000640065002000
61006c00740061002000630061006c0069006400610064002e0020005300650020007000750065006400
65006e00200061006200720069007200200064006f00630075006d0065006e0074006f007300200050004
40046002000630072006500610064006f007300200063006f006e0020004100630072006f006200610074
002c002000410064006f00620065002000520065006100640065007200200035002e0030002000790020
00760065007200730069006f006e0065007300200070006f00730074006500720069006f0072006500730
02e>

/FRA

<FEFF005500740069006c006900730065007a00200063006500730020006f007000740069006f006e007
30020006100660069006e00200064006500200063007200e900650072002000640065007300200064006
f00630075006d0065006e00740073002000410064006f00620065002000500044004600200070006f0075
007200200075006e00650020007100750061006c0069007400e90020006400270069006d007000720065
007300730069006f006e00200070007200e9007000720065007300730065002e0020004c006500730020
0064006f00630075006d0065006e00740073002000500044004600200063007200e900e9007300200070
0065007500760065006e0074002000ea0074007200650020006f00750076006500720074007300200064
0061006e00730020004100630072006f006200610074002c002000610069006e00730069002000710075
002700410064006f00620065002000520065006100640065007200200035002e00300020006500740020
00760065007200730069006f006e007300200075006c007400e90072006900650075007200650073002e
>

/ITA

<FEFF005500740069006c0069007a007a00610072006500200071007500650073007400650020006900
6d0070006f007300740061007a0069006f006e00690020007000650072002000630072006500610072006
500200064006f00630075006d0065006e00740069002000410064006f0062006500200050004400460020
0070006900f900200061006400610074007400690020006100200075006e006100200070007200650073

00740061006d0070006100200064006900200061006c007400610020007100750061006c0069007400e0
002e0020004900200064006f00630075006d0065006e0074006900200050004400460020006300720065
00610074006900200070006f00730073006f006e006f00200065007300730065007200650020006100700
06500720074006900200063006f006e0020004100630072006f0062006100740020006500200041006400
6f00620065002000520065006100640065007200200035002e0030002000650020007600650072007300
69006f006e006900200073007500630063006500730073006900760065002e>

/JPN

<FEFF9ad854c18cea306a30d730ea30d730ec30b951fa529b7528002000410064006f0062006500200050
004400460020658766f8306e4f5c6210306b4f7f75283057307e305930023053306e8a2d5b9a30674f5c621
03055308c305f0020005000440046002030d530a130a430eb306f3001004100630072006f006200610074
0020304a30883073002000410064006f00620065002000520065006100640065007200200035002e0030
00204ee5964d3067958b304f30533068304c3067304d307e305930023053306e8a2d5b9a306b306f30d53
0a930f330c8306e57cb30818fbc307f304c5fc59808306730593002>

/KOR

<FEFFc7740020c124c815c7440020c0acc6a9d558c5ec0020ace0d488c9c80020c2dcd5d80020c778c1c4
c5d00020ac00c7a50020c801d569d55c002000410064006f0062006500200050004400460020bb38c11cb
97c0020c791c131d569b2c8b2e4002e0020c774b807ac8c0020c791c131b41c00200050004400460020bb
38c11cb2940020004100630072006f0062006100740020bc0f002000410064006f00620065002000520065
006100640065007200200035002e00300020c774c0c1c5d0c11c0020c5f40020c2180020c788c2b5b2c8b
2e4002e>

/NLD (Gebruik deze instellingen om Adobe PDF-documenten te maken die zijn geoptimaliseerd voor
prepress-afdrukken van hoge kwaliteit. De gemaakte PDF-documenten kunnen worden geopend met
Acrobat en Adobe Reader 5.0 en hoger.)

/NOR

<FEFF004200720075006b00200064006900730073006500200069006e006e007300740069006c006c00
69006e00670065006e0065002000740069006c002000e50020006f007000700072006500740074006500
2000410064006f006200650020005000440046002d0064006f006b0075006d0065006e007400650072002
00073006f006d00200065007200200062006500730074002000650067006e0065007400200066006f0072
0020006600f80072007400720079006b006b0073007500740073006b0072006900660074002000610076
0020006800f800790020006b00760061006c0069007400650074002e0020005000440046002d0064006f0
06b0075006d0065006e00740065006e00650020006b0061006e002000e50070006e00650073002000690
020004100630072006f00620061007400200065006c006c00650072002000410064006f00620065002000
520065006100640065007200200035002e003000200065006c006c00650072002000730065006e006500
720065002e>

/PTB

<FEFF005500740069006c0069007a006500200065007300730061007300200063006f006e00660069006
700750072006100e700f50065007300200064006500200066006f0072006d006100200061002000630072
00690061007200200064006f00630075006d0065006e0074006f0073002000410064006f0062006500200
050004400460020006d00610069007300200061006400650071007500610064006f00730020007000610
072006100200070007200e9002d0069006d0070007200650073007300f50065007300200064006500200
061006c007400610020007100750061006c00690064006100640065002e0020004f007300200064006f00
630075006d0065006e0074006f00730020005000440046002000630072006900610064006f00730020007
006f00640065006d0020007300650072002000610062006500720074006f007300200063006f006d0020
006f0020004100630072006f006200610074002000650020006f002000410064006f006200650020005200
65006100640065007200200035002e0030002000650020007600650072007300f5006500730020007000
6f00730074006500720069006f007200650073002e>

/SUO

<FEFF004b00e40079007400e40020006e00e40069007400e4002000610073006500740075006b007300
690061002c0020006b0075006e0020006c0075006f00740020006c00e400680069006e006e00e40020007
60061006100740069007600610061006e0020007000610069006e006100740075006b00730065006e002
000760061006c006d0069007300740065006c00750074007900f6006800f6006e00200073006f007000690
07600690061002000410064006f0062006500200050004400460020002d0064006f006b0075006d006500
6e007400740065006a0061002e0020004c0075006f0064007500740020005000440046002d0064006f006
b0075006d0065006e00740069007400200076006f0069006400610061006e00200061007600610074006
10020004100630072006f0062006100740069006c006c00610020006a0061002000410064006f00620065
002000520065006100640065007200200035002e0030003a006c006c00610020006a0061002000750075

00640065006d006d0069006c006c0061002e>

/SVE

<FEFF0041006e007600e4006e00640020006400650020006800e4007200200069006e0073007400e4006c006c006e0069006e006700610072006e00610020006f006d002000640075002000760069006c006c00200073006b006100700061002000410064006f006200650020005000440046002d0064006f006b0075006d0065006e007400200073006f006d002000e400720020006c00e4006d0070006c0069006700610020006600f60072002000700072006500700072006500730073002d007500740073006b00720069006600740020006d006500640020006800f600670020006b00760061006c0069007400650074002e002000200053006b006100700061006400650020005000440046002d0064006f006b0075006d0065006e00740020006b0061006e002000f600700070006e00610073002000690020004100630072006f0062006100740020006f00630068002000410064006f00620065002000520065006100640065007200200035002e00300020006f00630068002000730065006e006100720065002e>

/ENU (Use these settings to create Adobe PDF documents best suited for high-quality prepress printing. Created PDF documents can be opened with Acrobat and Adobe Reader 5.0 and later.)

>>

/Namespace [

(Adobe)

(Common)

(1.0)

]

/OtherNamespaces [

<<

/AsReaderSpreads false

/CropImagesToFrames true

/ErrorControl /WarnAndContinue

/FlattenerIgnoreSpreadOverrides false

/IncludeGuidesGrids false

/IncludeNonPrinting false

/IncludeSlug false

/Namespace [

(Adobe)

(InDesign)

(4.0)

]

/OmitPlacedBitmaps false

/OmitPlacedEPS false

/OmitPlacedPDF false

/SimulateOverprint /Legacy

>>

<<

/AddBleedMarks false

/AddColorBars false

/AddCropMarks false

/AddPageInfo false

/AddRegMarks false

/ConvertColors /ConvertToCMYK

/DestinationProfileName ()

/DestinationProfileSelector /DocumentCMYK

/Downsample16BitImages true

/FlattenerPreset <<

/PresetSelector /MediumResolution

>>

/FormElements false

/GenerateStructure false

/IncludeBookmarks false

/IncludeHyperlinks false

```
/IncludeInteractive false
/IncludeLayers false
/IncludeProfiles false
/MultimediaHandling /UseObjectSettings
/Namespace [
  (Adobe)
  (CreativeSuite)
  (2.0)
]
/PDFXOutputIntentProfileSelector /DocumentCMYK
/PreserveEditing true
/UntaggedCMYKHandling /LeaveUntagged
/UntaggedRGBHandling /UseDocumentProfile
/UseDocumentBleed false
>>
]
>> setdistillerparams
<<
  /HWResolution [2400 2400]
  /PageSize [612.000 792.000]
>> setpagedevice
```